

ACKNOWLEDGEMENTS

Authors are thankful for the Matrix and Aurobindo Pharmaceuticals for providing the gift samples of drugs Pioglitazone and Metformin.

REFERENCES

1. *Indian Pharmacopoeia*, Government of India Ministry of Health and Family Welfare, Indian Pharmacopoeia Commission, Ghaziabad 3, 1674 (2007).
2. *United states Pharmacopoeia* 30 NF 25 “The official compendia of standards, Asian edition, 2007, vol: 1.
3. *ICH Guidelines Q2B Validation of Analytical Procedures: Methodology* (1996)
4. A.H.Beckett, J.B.Stenlake, *Practical Pharmaceutical chemistry*, IV-Edition, part two, CBS Publishers and distributors, 2004, p.no.326.
5. Dunge, N. Sharda, B. Singh and S. Singh, *J. Pharm.Biomed. Anal.*, 2005, 37, 1109.
6. B. M. Rao, M. K. Srinivasu, G. Sridhar, P. R. Kumar, K. B. Chandrasekhar and A. Islam, *J. Pharm. Biomed. Anal.*, 2005, 39, 503.
7. L. Huber and S. George, eds., “*Diode-array detection in HPLC*”, New York, Marcel Dekker, 1993.
8. L. Huber, “*Validation and qualification in analytical laboratories*”, Interpharm, 2002.
9. R.T. Sane, S.N. Menon, Shafi Inamdar, Mandar Mote and Gunesh Gund, Simultaneous Determination of Pioglitazone and Glimepiride by High-Performance liquid Chromatography, *Chromatographia* 2004, 451-453.
10. P. K. Sahoo, R. Sharma,* and S. C. Chaturvedi, Simultaneous Estimation of Metformin Hydrochloride and Pioglitazone Hydrochloride by RPHPLC Method from Combined Tablet Dosage Form, *Indian J Pharm Sci.* 2008 May–Jun; 70(3): 383–386