

9. Basavaiah, K., Chandrashekar, U., Nagegowda, P., Titrimetric, spectrophotometric and kinetic methods for the assay atenolol using bromated-bromide and methyl orange. *J. Serb. Chem. Soc.*, **2006**, *71(5)*, 553–563.
10. Kasture, A. V., Ramteke, M., Simultaneous UV-Spectrophotometric method for the estimation of atenolol and amlodipine besylate in combined dosage form. *Indian J. Pharm. Sci.*, **2006**, *68(3)*, 394-396.
11. Prasad, C. V., Parihar, C., Chowdhary, T. R., Simultaneous determination of atenolol–amlodipine and haloperidol–trihexaphenidyl in combined tablet preparations by derivative spectroscopy. *Pharm. Pharmacol. Commun.* **1998**, *4*, 325-330.
12. Tambe, V., Vichare, V., Kandekar., Spectrophotometric simultaneous determination of atenolol and hydrochlorthiazide in combined dosage form by simultaneous equation, Absorption ratio and first order derivative spectroscopy methods. *Inter. J. Pharm. Sci. Rev. and Res.* **2010**, *5(2)*, 151-155.
13. Mali, S. L., Dhabale, P. N., Gonjari, I. D., Deshmukh, V., Chanekar, P. D., Simultaneous UV spectrophotometric methods of atenolol and amlodipine besylate in combined tablet dosage form. *Inter J. Pharmacy and Pharm. Sci.*, **2010**, *2(3)*, 71-74.
14. Sridharan, D., Thenmozhi, A., Sundaranandavalli, S., Bioanalytical Method development and validation of atenolol in human plasma by LC-MS. *Asian J. Pharm. Clin. Res.*, **2010**, *3(2)*, 92-94
15. Bashir, N., Shah, S. W. H., Bangesh, M., Riazullah, R., A novel spectrophotometric determination of atenolol using sodium nitroprusside. *J. Sci. Ind. Res.* **2011**, *70(1)*, 51-54
16. Barman, R., Islam, M. A., Ahmed, M., Islam, R., Khan, A., Wahed, M. I., Hossain, M. B., Rahman, B., Simultaneous high performance liquid chromatographic determination of atenolol and amlodipine in pharmaceutical. *Pakistan J. Pharm. Sci.*, **2007**, *20*, 274-279.
17. Sivakumar, T., Venkatesan, P., Manavalan, R., Valliappan. K., Development of a HPLC method for the simultaneous determination of losartan potassium and atenolol in tablets. *Indian J. Pharm Sci.* **2007**, *69*, 154-157
18. Lamprecht, G., Kraushofer, T., Stoschitzky, K., Lindner, W., Enantioselective analysis of (R)- and (S) atenolol in urine sample by a high performance liquid chromatography column switching setup. *J. Chromatogr. B.*, **2000**, *740*, 219-226
19. Kaila, H. O., Ambasana, M. A., Thakkar, R. S., Saravaia, H. T., Shah, A. K., A stability- indicating high performance liquid chromatographic assay for the simultaneous determination of atenolol and lercanidipine hydrochloride in tablets. *Indian J. Pharm. Sci.*, **2011**, *73*, 376-380
20. Chheta, N., Gandhi, S. P., Rajput, S. J., Development and validation of a stability indicating high performance liquid chromatographic method for atenolol and hydrochlorthiazide in bulk and tablet formulation. *Int. J. Chem. Tech. Res.* **2009**, *1*, 654- 662
21. Mehvar, R., J. Pharm. Sci., Liquid chromatographic analysis of atenolol enantiomers in human plasma and urine. **1990**, *78(12)*, 1035-1039.
22. Deore, P. V., Shirkhedkar, A. A., Surana, S. J., Simultaneous TLC-densitometric analysis of atenolol and lercanidipine Hydrochloride in tablets. *Acta Chromatographica* **2008**, *20(3)*, 463- 473.
23. The United States Pharmacopeia. *United States Pharmacopieal Convention*, 12601, Twin brook Parkway, Rockville, MD 20852. 2006; pp. 211 – 213.
24. Beckett, A. H., Stenlake, J. B., *Practical Pharmaceutical Chemistry*. (Eds 4), Vol. I, CBS Publishers and distributors, Darya Ganj, New Dheli. 2000; pp. 13 -14.
25. Khabnadideh, S., Rezaci, Z., Samani, S. M., Yarmohammadi, G., . Post marketing surveillance on propranolol and atenolol tablets manufactured in Iran. *Iranian J. Pharm. Sci.*, **2010**, *6(2)*, 83–90.