













### CONCLUSION

In the present study, the administration of methanolic extract of *Coleus Vettiveroides Jacob* shows a significant Anti-Diabetic activity in streptozotocin induced diabetic activity on wistar rats. However Further studies are in progress to isolate the active constituents of *Coleus Vettiveroides Jacob* and also to evaluate the exact mechanism of action for the Anti-Diabetic activity.

### REFERENCES

1. W. Marshal, S. K. Bangret, Clinical Chemistry Elsevier Limited., 2004, pp. 191-217.
2. Zimmet P, Shaw J, Alberti KGM. Diabetic Medicine, 2003; 20:693-702.
3. Moller DE, Flier J., New England Journal of Medicine, 1991; 325:938-948.
4. R. Vadivelan, M. Dipanjan, P. Umasankar, S. P. Dhanabal, M. N. Satishkumar, S. Antony E. K. Ilango, Advances in Applied Science Research, 2 011 , 2 (3), 179-185.
5. Nash D, Koenig J, Novielli K, Liberoni R, Reisman M. The importance of the individualized pharmaceutical therapy in the treatment of diabetes mellitus. Dis Manag 2001; 4(1): 5-23.
6. Raghunatha Iyer, Indian Medicinal Plants a Compendium of 500 Species. Orient Longman., Delhi. 1994: 4.
7. Harborne J.B. Phytochemical methods. In Chapman &, Hall. New York. 1984; 11: 4-5.
8. Rao Bk, Sudarshan Pr, Rajasekhar MD, Nagaraju N, Rao CA. Anti-diabetic activity of Terminalia pallida fruit in alloxan induced diabetic rat. J Ethnopharmacol 2003;85:169-72.
9. Whetton PD, Hems DA. Glycogen synthesis in perfused liver of streptozotocin diabetic rats. Biochem J 1975;150:153.
10. Maiti, R., Jana, D., Das, U.K., Ghosh, D. Anti-diabetic effect of aqueous extract of seed of Tamarindus indica in streptozotocin-induced diabetic rats. J Ethnopharmacol 2004;92:85-1.
11. Kale R H, Halde U K and Biyani K R "Protective Effect of Aqueous Extract of Uraria picta on Acetaminophen Induced Nephrotoxicity in Rats". *Int J Res Pharm Biomed Sci.* 2012; 3 (1): 110-113.
12. Bennit W M, Parker R A, Elliot W C, Gilbert D, Houghton D "Sex related differences in the susceptibility of rat to gentamicin nephrotoxicity". *J. Infec Dis.*, 1982; 145: 70-374.
13. Mayne P D "The kidneys and renal calculi In: Clinical chemistry in diagnosis and treatment". London: Edward Arnold Publications. 1994; 6: 2-24.
14. Saroswat B, Visen P K, Patnalik G K and Dhawan B N "Anticholestatic effect of picroliv, active hepatoprotective principle of Picrorhizza kurrooa against carbon tetrachloride induced cholestasis". *Ind J. Exp Biol.*, 1993; 31: 316- 318.
15. Handa SS, Sharma A. Hepatoprotective activity of andrographolide from Andrographis paniculata against CCl4. *Ind. J. Med Res (B)* 1990; 92: 276-83.
16. Felter HW, MD, Lloyd JU. Bryonia (U.S.P). King's American Dispensatory 1898.
17. Lowry OH, Farr A.L and Randall R.J. Protein measurement with folin phenol reagent. *J.Biol.Chem.* 1951; 193: 265-275.
18. Hassid, W.Z., Abraham S. Chemical Procedures For Analysis Of Polysaccharide. Colowick, Kaplan S.P. Method In Enzymology, New York, Academic Press; 1975: (3)34-36.
19. Kind P.R and King R.J. Estimation of plasma phosphatase by determination of hydrolysed phenol with antipyrin. *J.clin.path.* 1954; 7: 322-326.
20. Reitman S and Frankel S. A Colorimetric method for determination of serum glutamate oxaloacetate and glutamic pyruvate transaminase activity. *Am. J. Clin. Path.* 28; 1957: 56-58.
21. Malloy and Evelyn. The determination of bilirubin with the photoelectric colorimeter., *J.Bio.Chem.*, 1937;(119): 481-490.
22. Street, H.V. and Close, J.R. (1956), *clin.chem.Acta.*, 1, 256. Textbook of practical Physiology, Chaudhari (2000).
23. Toro, G. and Ackermann., P.G. (1975), practical clinical chemistry, Little brown & co., Boston, p154.