

- [15] Prosenko AE, Skorobogatov AA, Dyubchenko OI, Pinko PI, Kandalintseva NV, Shakirov MM, Pokrovsky LM. Interaction of functionally-substituted 4-alkyl-2,6-di-tert-butylphenols with hydrohalic acids. *Russ Chem Bull.*, 56, 1119-1124 (2007).
- [16] Oleynik AS, Kuprina TS, Pevneva NYu, Markov AF, Kandalintseva NV, Prosenko AE, Grigor'ev IA. Synthesis and antioxidant properties of sodium S-[3-(hydroxyaryl)propyl] thiosulfates and [3-(hydroxyaryl)propane]-1-sulfonates. *Russ Chem Bull.*, 56, 1135-1143 (2007).
- [17] Kandalintseva NV, Dyubchenko OI, Terakh EI, Prosenko AE, Shvarts YS, Dushkin MI. Antioxidant and hepatoprotector activity of water-soluble 4-propylphenols containing hydrophilic groups in alkyl chains. *Pharm Chem J.*, 36, 177-180 (2002).
- [18] Mannervik B, Alin P, Guthenberg C, Jansson H, Tahir MK, Warholm M, Jörnvall H. Identification of three classes of cytosolic glutathione transferase common to several mammalian species: correlation between structural data and enzymatic properties. *Proc Natl Acad Sci USA*, 82, 7202-7206 (1985).
- [19] Awasthi AS, Srivastava SK, Ahmad F, Ahmad H. Interactions of glutathione S-transferase- π with ethacrynic acid and its glutathione conjugate. *Biochim Biophys Acta.*, 1164, 173-178 (1993).
- [20] Gorski R, Carneiro M, Schibler U. Tissue specific in vitro transcription from the mouse albumin promoter. *Cell*, 47, 767-776 (1986).
- [21] Shapiro DG, Sharp PA, Wahli WW, Keller MJ. A high efficiency HeLa cell nuclear transcription extract. *DNA*, 7, 47-55 (1988).
- [22] Bradford MM. Rapid and sensitive method for the quantitation of microgram quantity of protein utilizing the principle of protein dye binding. *Ann. Biochem.*, 72, 248-254 (1976).
- [23] Espinás ML, Roux J, Ghysdael J, Pictet R, Grange T. Participation of Ets transcription factors in the glucocorticoid response of the rat tyrosine aminotransferase gene. *Mol Cell Biol.*, 14, 4116-4125 (1994).
- [24] Gharavi N, Haggarty S, El-Kadi AO. Chemoprotective and carcinogenic effects of tert-butylhydroquinone and its metabolites. *Curr Drug Metab.*, 8, 1-7 (2007).
- [25] Nakamura Y, Kumagai T, Yoshida C, Naito Y, Miyamoto M, Ohigashi H, Osawa T, Uchida K. Pivotal role of electrophilicity in glutathione S-transferase induction by tert-butylhydroquinone. *Biochemistry*, 42, 4300-4309 (2003).
- [26] Van Bladeren PJ. Glutathione conjugation as a bioactivation reaction. *Chem Biol Interact*, 129, 61-76 (2000).
- [27] Yu X, Kensler T. Nrf2 as a target for cancer chemoprevention. *Mutat Res.*, 591, 93-102 (2005).
- [28] Li J, Lee JM, Johnson JA. Microarray analysis reveals an antioxidant responsive element-driven gene set involved in conferring protection from an oxidative stress-induced apoptosis in IMR-32 cells. *J Biol Chem.*, 277, 388-394 (2002).
- [29] Wasserman W, Fahl WE. Functional antioxidant responsive elements. *Proc Natl Acad Sci USA*, 94, 5361-5366 (1997).
- [30] Itoh K, Wakabayashi N, Katoh Y, Ishii T, Igarashi K, Engel JD, Yamamoto M. Keap1 represses nuclear activation of antioxidant responsive elements by Nrf2 through binding to the amino-terminal Neh2 domain. *Genes Dev.*, 13, 76-86 (1999).
- [31] Satoh T, Okamoto SI, Cui J, Watanabe Y, Furuta K, Suzuki M, Tohyama K, Lipton SA. Activation of the Keap1/Nrf2 pathway for neuroprotection by electrophilic phase II inducers. *Proc Natl Acad Sci USA*, 103, 768-773 (2006).
- [32] Lee-Hilz YY, Boerboom AMJF, Westphal AH, van Berkel WJH, Aarts JMMJG, Rietjens IMCM. Pro-Oxidant Activity of Flavonoids Induces EpRE-Mediated Gene Expression *Chem Res Toxicol.*, 19, 1499-1505 (2006).
- [33] Nguyen T, Sherratt PJ, Pickett CB. Regulatory mechanisms controlling gene expression mediated by the antioxidant response element. *Annu Rev Pharmacol Toxicol.*, 43, 233-260 (2003).
- [34] Dinkova-Kostova AT, Massiah MA, Bozak RE, Hicks RJ, Talalay P. Potency of Michael reaction acceptors as inducers of enzymes that protect against carcinogenesis depends on their reactivity with sulfhydryl groups. *Proc Natl Acad Sci USA*, 98, 3404-3409 (2001).
- [35] Dinkova-Kostova AT, Holtzclaw WD, Cole RN, Itoh K, Wakabayashi N, Katoh Y, Yamamoto M, Talalay P. Direct evidence that sulfhydryl groups of Keap1 are the sensors regulating induction of phase 2 enzymes that protect against carcinogens and oxidants. *Proc Natl Acad Sci USA*, 99, 11908-1113 (2002).
- [36] Rushmore TH, Pickett CB. Xenobiotic responsive elements controlling inducible expression by planar aromatic compounds and phenolic antioxidants. *Methods Enzymol.*, 206, 409-420 (1991).
- [37] Dinkova-Kostova A.T., Talalay, P. Relation of structure of curcumin analogs to their potencies as inducers of Phase 2 detoxification enzymes. *Carcinogenesis*, 20, 911-914 (1999).
- [38] Dinkova-Kostova AT, Fahey JW, Talalay P. Chemical structures of inducers of nicotinamide quinone oxidoreductase 1 (NQO1). *Methods Enzymol.*, 382, 423-448 (2004).
- [39] Morimitsu Y, Nakagawa Y, Hayashi K, Fujii H, Kumagai T, Nakamura Y, Osawa T, Horio F, Itoh K, Iida K, Yamamoto M, Uchida K. A sulfuraphane analogue that potently activates the Nrf2-dependent detoxification pathway. *J Biol Chem.*, 277, 3456-3463 (2002).
- [40] Wakabayashi N, Dinkova-Kostova AT, Holtzclaw WD, Kang MI, Kobayashi A, Yamamoto M, Kensler TW, Talalay P. Protection against electrophile and oxidant stress by induction of the phase 2 response: fate of cysteines of the Keap1 sensor modified by inducers. *Proc Natl Acad Sci USA*, 101, 2040-2045 (2004).
- [41] Hansen JM, Watson WH, Jones DP. Compartmentation of Nrf2 redox control: regulation of cytoplasmic activation by glutathione and DNA binding by thioredoxin-1. *Toxicol Sci.*, 82, 308-317 (2004).
- [42] Hur W, Sun Z, Jiang T, Mason DE, Peters EC, Zhang DD, Luesch H, Schultz PG, Gray NS. A small-molecule inducer of the antioxidant response element. *Chem Biol.*, 17, 537-547 (2010).
- [43] Nioi P, McMahon M, Itoh K, Yamamoto M, Hayes JD. Identification of a novel Nrf2-regulated antioxidant response element (ARE) in the mouse NAD(P)H:quinone oxidoreductase 1 gene: reassessment of the ARE consensus sequence. *Biochem J.*, 374, 337-348 (2003).