

CONCLUSION:

The survey shows completely edentulous patients wearing complete dentures have moderate knowledge about the denture care maintenance. The poor denture maintenance may lead to residual ridge resorption, ulcerations and fungal infection. The Dentist should insist upon regular denture care maintenance and inform the sequelae of poor denture care maintenance with more emphasis on tissue health.

REFERENCE:

1. Christensen K, Doblhammer G, Rua DR, Vaupel JW. Aging populations: The challenges ahead. *The Lancet* 2009; 374/9696:1196-1208.
2. Adam RZ: Do complete dentures improve the quality of life of patients? Department of Restorative Dentistry, Faculty of Dentistry and World Health Organisation (WHO) Oral Health Collaborating Centre, University of the Western Cape, 2006
3. Jennings DE. Treatment of the mandibular compromised ridge: a literature review. *J Prosthet Dent* 1989;61:575-9.
4. Garrett NR, Kapur KK, Perez P. Effects of improvements of poorly fitting dentures and new dentures on patient satisfaction. *J Prosthet Dent* 1996;76:403-13
5. Wöstmann B1, Budtz-Jørgensen E, Jepson N, Mushimoto E, Palmqvist S, Sofou A, Owall B. Indications for removable partial dentures: a literature review. *Int J Prosthodont*. 2005 Mar-Apr;18(2):139-45.
6. Rafael Gómez-de Diego,1 María del Rocío Mang-de la Rosa,2 María J. Romero-Pérez,3 Antonio Cutando-Soriano,4 andAntonio López-Valverde-Centeno5. Indications and contraindications of dental implants in medically compromised patients: Update *Med Oral Patol Oral Cir Bucal*. 2014 Sep; 19(5): e483–e489.