





- [3] Arnold JW, Bailey GW. Surface finishes on stainless steel reduce bacterial attachment and early biofilm formation: Scanning electron and atomic force microscopy study. *Poultry Science*. 2000; 79:839-1845.
- [4] Simões M, Simões LC, Vieira MJ. A review of current and emergent biofilm control strategies. *LWT-Food Science and Technology*. 2010; 43:573-583.
- [5] Coenye T, Nelis HJ. Review, In vitro and in vivo model systems to study microbial biofilm formation. *Journal of Microbiological Methods*. 2010; 83:89-105.
- [6] G. Demin and Z. Yingying, "Comparative antibacterial activities of crude polysaccharides and flavonoids from *Zingiber officinale* and their extraction," *American Journal of Tropical Medicine*, vol. 5, pp. 235–238, 2010.
- [7] R. Grzanna, L. Lindmark, and C. G. Frondoza, "Ginger—an herbal medicinal product with broad anti-inflammatory actions," *Journal of Medicinal Food*, vol. 8, no. 2, pp. 125–132, 2005.
- [8] Hall-Stoodley L, Costerton JW, Stoodley P (2004) Bacterial biofilms: from the natural environment to infectious diseases. *Nat Rev Microbiol* 2: 95-108. doi:10.1038/nrmicro821. PubMed: 15040259.
- [9] Mayer C, Moritz R, Kirschner C, Borchard W, Maibaum R et al. (1999) The role of intermolecular interactions: studies on model systems for bacterial biofilms. *Int J Biol Macromol* 26: 3-16. doi:10.1016/S0141-8130(99)00057-4. PubMed: 10520951.
- [10] Kumar CG, Anand SK. Significance of microbial biofilms in food industry: a review. *International Journal of Food Microbiology*. 1998; 42:9-27.
- [11] Srey S, Jahid IK, Ha SD. (2013). Review Biofilm formation in food industries: A food safety concern. *Food Control*. 2013; 31:572-585.
- [12] Chu M, Ding R, Chu ZY, Zhang MB, Liu XY, et al. (2014) Role of berberine in anti-bacterial as a high-affinity LPS antagonist binding to TLR4/MD-2 receptor. *BMC Complement Altern Med* 14: 89.
- [13] Yu HH, Kim KJ, Cha JD, Kim HK, Lee YE, et al. (2005) Antimicrobial activity of berberine alone and in combination with ampicillin or oxacillin against methicillin-resistant *Staphylococcus aureus*. *J Med Food* 8: 454-461.
- [14] Zuo GY, Li Y, Han J, Wang GC, Zhang YL, Bian ZQ (2012) Antibacterial and synergy of berberines with antibacterial agents against clinical multi-drug resistant isolates of methicillin-resistant *Staphylococcus aureus*(MRSA). *Molecules* 17: 10322-10330
- [15] Sun D, et al. Berberine sulfate blocks adherence of *Streptococcus pyogenes* to epithelial cells, fibronectin, and hexadecane. *Antimicrob Agents Chemother* 1988; 32: 1370-1374.
- [16] Brackman G, et al. Use of quorum sensing inhibitors to interfere with biofilm formation and development in *Burkholderia multivorans* and *Burkholderia cenocepacia*. *Res Microbiol* 2009; 160: 144-151.
- [17] Lineen E, Namias N. 2008. Biologic dressing in burns. *J Craniofac Surg*. 19:923-928.
- [18] Lahiri SC, Dutta NK (1967) Berberine and chloramphenicol in the treatment of cholera and severe diarrhoea. *J Indian Med Assoc* 48: 1-11.
- [19] Marsh PD. 2004. Dental plaque as a microbial biofilm. *Caries Res*. 38:204-211.
- [20] van Houte J. 1994. Role of micro-organisms in caries etiology. *J Dent Res*. 73:672-681.
- [21] Basson NJ, du Toit J, Grobler SR. 1994. Antibacterial action of honey on oral streptococci. *J Dent Assoc S Afr*. 49:339-341.
- [22] Autio-Gold J. 2008. The role of chlorhexidine in caries prevention. *Oper Dent*. 33:710-716.
- [23] Peldyak J, Makinen KK. 2002. Xylitol for caries prevention. *J Dent Hyg*. 76:276-285.
- [24] Yi Z, et al. Evaluation of the antimicrobial mode of berberine by LC/ESI-MS combined with principal component analysis. *J Pharmaceut Biomed Anal* 2007; 44: 301-304.
- [25] Wang Y, et al. Comparative Proteomic Analysis of *Streptococcus suis* Biofilms and Planktonic Cells That Identified Biofilm Infection-Related Immunogenic Proteins. *Plos One* 2012; 7.