

REFERENCES

- [1]. Hegde RP, Rajagopalan N, Doley R, Kini RM (2009) Snake venom three-finger toxins. In: Mackessy SP (ed) Handbook of venoms and toxins of reptiles. CRC, Boca Raton, pp 287–302.
- [2]. Kini RM (2006) Anticoagulant proteins from snake venoms: structure, function and mechanism. *Biochem J* 397:377–387. DOI:10.1042/BJ20060302.
- [3]. Kini, R.M., 2011. Evolution of three-finger toxins – a versatile mini protein scaffold. *Acta Chim. Slov* 58, 693–701.
- [4]. Servent, D., Antil-Delbeke, S., Gaillard, C., Corringer, P.J., Changeux, J.P., Menez, A., 2000. Molecular characterization of the specificity of interactions of various neurotoxins on two distinct nicotinic acetyl-choline receptors. *Eur. J. Pharmacol.* 393, 197–204.
- [5]. Kumar, T.K.S., Pandian, S.K., Srisailam, S., Yu, C., *J. Toxicol. Toxin Rev.* 1998, 17 (2), 183-211.
- [6]. Kini RM, Doley R (2010) Structure, function and evolution of three-finger toxins: mini proteins with multiple targets. *Toxicon* 56:855–867. DOI:10.1016/j.toxicon.2010.07.010.
- [7]. Rajagopalan, N., Pung, Y.F., Zhu, Y.Z., Wong, P.T.H., Kumar, P.P., Kini, R.M., 2007. Beta-cardiotoxin: a new three-finger toxin from *Ophiophagus hannah* (King Cobra) venom with beta-blocker activity. *FASEB J.* 21,3685–3695.
- [8]. Tsetlin, V. Snake venom alpha-neurotoxins and other 'three-finger' proteins. *Eur. J. Biochem.*, 1999, 264(2), 281-286.
- [9]. Kini, R. M. Molecular moulds with multiple missions: Functional sites in three-finger toxins. *Clin. Exp. Pharmacol. P.*, 2002, 29(9), 815-822.
- [10]. Biswajit gorai., Muthusamy karthikeyan., Thirunavukkarasu Sivaraman., 2016. Putative membrane lytic sites of P-type and S-type cardiotoxins from snake venom as probed by all-atom molecular dynamics simulations. *J Mol Model* (2016) 22:238, 1-11. DOI:10.1007/s00894-016-3113-y.
- [11]. Dubovskii, P. V.; Lesovoy, D. M.; Dubinnyi, M. A.; Konshina, A. G.; Utkin, Y. N.; Efremov, R. G.; Arseniev, A. S. Interaction of threefinger toxins with phospholipid membranes: comparison of S- and P-type cytotoxins. *Biochem. J.* 2005, 387, 807–815.
- [12]. Gorai B, Sivaraman T (2013) Unfolding stabilities of two paralogous proteins from *Naja naja naja* (Indian cobra) as probed by molecular dynamics simulations. *Toxicon* 72:11–22. DOI:10.1016/j.toxicon.2013.05.024.
- [13]. Lindorff-Larsen K, Piana S, Palmo K, Maragakis P, Klepeis JL, Dror RO, Shaw DE. Improved side-chain torsion potentials for the Amber ff99SB protein force field., *Proteins* 2010; 78: 1950–1958.
- [14]. Leontyev IV, Stuchebrukhov AA. Electronic Polarizability and the Effective Pair Potentials of Water., *J Chem Theory Comput* 2012; 8: 3207–3216.
- [15]. Manu Mangal1 , Parul Sagar1 , Harinder Singh2 , Gajendra P. S. Raghava2 and Subhash M. Agarwal. NPACT: Naturally Occurring Plant-based Anti-cancer Compound-Activity-Target database., *Nucleic Acids Research*, 2013, Vol. 41, Database issue DOI:10.1093.
- [16]. Hsu KC, Chen YF, Lin SR, Yang JM. iGEMDOCK: A graphical environment of enhancing GEMDOCK using pharmacological interactions and post-screening analysis. *BMC Bioinformatics* 2011;12 (Suppl 1)S33.
- [17]. N. C. Nisha, S. Sreekumar, C. K. Biju., Identification Of Lead Compounds With Cobra Venom Detoxification Activity In *Andrographis Paniculata* (Burm. F.) Nees Through In Silico Method., *Issn- 0975-1491.*, Vol 8, Issue 7, 2016.
- [18]. Louw AI (1974) Snake venom toxins. The amino acid sequences of three cytotoxin homologues from *Naja mossambica mossambica* venom. *Biochim Biophys Acta* 336:481–495. DOI:10.1016/0005-2795(74)90429-2.
- [19]. Kang TS, Georgieva D, Genov N, Murakami MT, Sinha M, Kumar RP, Kaur P, Kumar S, Dey S, Sharma S, Vrieland A, Betzel C, Takeda S, Singh TP, Kini RM. Enzymatic toxin from snake venom: Structural characterization and mechanism of catalysis. *FEBS J* 2011; 278: 4544–4576.
- [20]. Kini RM, Doley R. Protein complexes in snake venom. *Cell Mol Life Sci* 2009; 66: 2851–2871.
- [21]. Chien KY, Chiang CM, Hseu YC, Vyas AA, Rule GS, Wu W (1994) Two distinct types of cardiotoxin as revealed by the structure and activity relationship of their interaction with zwitterionic phospholipid dispersions. *J Biol Chem* 269:14473–14483.
- [22]. Sue, S.-C., P. K. Rajan, T.-S. Chen, C.-H. Hsieh, and W. Wu. 1997. Action of Taiwan cobra cardiotoxin on membranes: binding modes of a betasheet polypeptide with phosphatidylcholine bilayers. *Biochemistry.* 36: 9826–9836.
- [23]. Dubovskii PV, Konshina AG, Efremov RG (2014) Cobra cardiotoxins: membrane interactions and pharmacological potential. *Curr Med Chem* 21:270–287. DOI:10.2174/09298673113206660315.
- [24]. Jang JY, Krishnaswamy T, Kumar S, Jayaraman G, Yang PW, Yu C (1997) Comparison of the hemolytic activity and solution structures of two snake venom cardiotoxin analogues which only differ in their N-terminal amino acid. *Biochemistry* 36:14635–14641. DOI:10.1021/bi971107a.