

- heterogeneous subpopulations of spermatozoa in the ejaculate. *J Androl* 2006; 27:414-420.
21. Karras, P. Anagnostis, K. Kotsa and D. G. Goulis Vitamin D and gonadal function in men 2016; 21: 1-3.
 22. Blomberg Jensen M, Bjerrum PJ, Jessen TE, Nielsen JE, Joensen UN, Olesen IA, Petersen JH, Juul A, Dissing S & Jørgensen N. Vitamin D is positively associated with sperm motility and increases intracellular calcium in human spermatozoa. *Hum Reprod* 2011; 26, 1307-1317.
 23. Yang B, Sun H, Wan Y, Wang H, Qin W, Yang L, Zhao H, Yuan J & Yao B. Associations between testosterone, bone mineral density, vitamin D and semen quality in fertile and infertile Chinese men. *Int J Androl* 2012; 35, 783-792.
 24. Meric C, Sonmez A, Aydogdu A, Tapan S, Haymana C, Basaran Y, Baskoy K, Sertoglu E, Taslipinar A, Bolu E & Azal O. Osteoprotegerin, fibroblast growth factor 23, and vitamin D3 levels in male patients with hypogonadism. *Horm Metab Res* 2014; 46, 955-958.
 25. Martin Blomberg Jensen, Jacob Gerner Lawaetz, Anna-Maria Andersson, Jorgen Holm Petersen, Loa Nordkap, Anne Kirstine Bang, Pia Ekblom, Ulla Nordstro'm Joensen, Lisbeth Prtorius, Peter Lundstrm, Vibeke Hartvig Boujida, Beate Lanske, Anders Juul, and Niels Jrgensen, Vitamin D deficiency and low ionized calcium are linked with semen quality and sex steroid levels in infertile men 2016; 152: pp1-11.
 26. Weissgerber P, Kriebs U, Tsvilovskyy V, Olausson J, Kretz O, Stoerger C, Vennekens R, Wissenbach U, Middendorff R, Flockerzi V Male fertility depends on Ca²⁺ absorption by TRPV6 in epididymal epithelia. *Sci Signal*; 2011; 4: 27.
 27. Foresta C, Strapazzon G, De Toni L, Perilli L, Di Mambro A, Muciaccia B, Sartori L & Selice R. Bone mineral density and testicular failure: evidence for a role of vitamin D 25-hydroxylase in human testis. *J Clin Endocrinol Metab* 2011; 96, E646-E652.
 28. Ogard CG, Engelmann MD, Kistorp C, Nielsen SL & Vestergaard H. (2005) Increased plasma N-terminal pro-B-type natriuretic peptide and markers of inflammation related to atherosclerosis in patients with primary hyperparathyroidism. *Clin Endocrinol (Oxf)* 63, 493-498.
 29. Bieglmayer C, Prager G, Niederle B. "Kinetic analyses of parathyroid hormone clearance as measured by three rapid immunoassays during parathyroidectomy". *Clinical Chemistry* 2002; 48 (10): 1731-8. PMID 12324490.
 30. Bassey, O.E. Essien, A.E. Udoh, I.U. Imo and I.O. Effiong. Seminal Plasma Selenium, Calcium, Magnesium and Zinc Levels in Infertile Men *Journal of Medical Sciences*, 2013; 13: 483-487.
 31. Wong, W.Y., G. Flik, P.M.W. Groenen, D.W. Swinkels and C.M.G. Thomas The impact of calcium, magnesium, zinc and copper in blood and seminal plasma on semen parameters in men. *Reprod. Toxicol.*, 2001; 15: 131-136.
 32. Rahman MS, Kwon WS & Pang MG. Calcium influx and male fertility in the context of the sperm proteome: an update. *Biomed Res Int* 2014; 841615.
 33. Jiang Zhao, Xingyou Dong, Xiaoyan Hu, Zhou Long, Liang Wang, Qian Liu, Bishao Sun, Qingqing Wang, Qingjian Wu & Longkun Li Zinc levels in seminal plasma and their correlation with male infertility 2016; 168: 6-10.
 34. Akinloye, O. The impact of blood and seminal plasma zinc and copper concentrations on spermogram and hormonal changes in infertile Nigerian men. *Reprod Biol* 2011; 11, 83-98.
 35. Türk, S. Male infertility: decreased levels of selenium, zinc and antioxidants. *J Trace Elem Med Biol* 2014; 28, 179-85.
 36. Smith, A. F., Longpre, J. & Loo, G. Inhibition by zinc of deoxycholate-induced apoptosis in HCT-116 cells. *J Cell Biochem* 2012; 113, 650-657.
 37. Ni, A.N. Spiess, Schuppe and Steger The impact of sperm protamine deficiency and sperm DNA damage on human male fertility, Klinik und Poliklinik für Urologie, Kinderurologie und Andrologie, Justus-Liebig-Universität, Giessen, and 2Department of Andrology, University Hospital Hamburg-Eppendorf, Hamburg, Germany, 2016; 2047-2919.
 38. Rogenhofer N, Dansranjav T, Schorsch M, Spiess A, Wang H, von Schonfeldt V, Cappallo-Obermann H, Baukloh V, Yang H, Paradowska A, Chen B, Thaler CJ, Weidner W, Schuppe HC & Steger K. The sperm protamine mRNA ratio as a clinical parameter to estimate the fertilizing potential of men taking part in an ART programme. *Hum Reprod* 2013; 28, 969-978.
 39. Aoki VW, Liu L, Jones KP, Hatasaka HH, Gibson M, Peterson CM & Carrell DT. Sperm protamine 1/protamine 2 ratios are related to in vitro fertilization pregnancy rates and predictive of fertilization ability. *Fertil Steril* 2006c; 86, 1408-1415.
 40. de Mateo S, Gazquez C, Guimera M, Balasch J, Meistrich ML, Ballesca JL & Oliva R. (2009). Protamine 2 precursors (Pre-P2), protamine 1 to protamine 2 ratio (P1/P2), and assisted reproduction outcome. *Fertil Steril* 91, 715-722.
 41. Ni K, Steger K, Yang H, Wang H, Hu K & Chen B. Sperm protamine mRNA ratio and DNA fragmentation index represent reliable clinical biomarkers for men with varicocele after microsurgical varicocele ligation. *J Urol* 2014; 192, 170-176.
 42. Aoki VW, Liu L & Carrell DT. Identification and evaluation of a novel sperm protamine abnormality in a population of infertile males. *Hum Reprod* 2005a; 20, 1298-1306.