

CONCLUSION

A safe, effective, stable novel medicated seedmix has been developed for the management of internal parasites in caged and aviary birds. Although, it has a good potential to become a convenient alternative approach with improved compliance, it still remains as a field to be explored to the fullest. In the future, we may see drugs formulated into seedmix in preference to other delivery systems to deliver drugs to large varieties of caged and aviary birds as a means of simple food intake. Drug delivery through medicated seedmix is fairly a new concept and will revolutionise the drug delivery concept in avian industry in near future.

REFERENCES

1. J Nolan, T. and J. B Lok, Macrocytic lactones in the treatment and control of parasitism in small companion animals. *Current pharmaceutical biotechnology*, 2012. **13**(6): p. 1078-1094.
2. McCall, J.W., The safety-net story about macrocyclic lactone heartworm preventives: a review, an update, and recommendations. *Veterinary parasitology*, 2005. **133**(2): p. 197-206.
3. Lifschitz, A., et al., Moxidectin in cattle: correlation between plasma and target tissues disposition. *Journal of veterinary pharmacology and therapeutics*, 1999. **22**: p. 266-273.
4. Lonneux, J. and B. Losson, Field efficacy of injectable and pour-on moxidectin in cattle naturally infested with *Psoroptes ovis* (Acarina: Psoroptidae). *Veterinary parasitology*, 1992. **45**(1-2): p. 147-152.
5. Love, S., et al., Moxidectin-resistant *Haemonchus contortus* in sheep in northern New South Wales. *Australian veterinary journal*, 2003. **81**(6): p. 359-360.
6. The safety-net story about macrocyclic lactone heartworm preventives: a review, an update, and recommendations. http://www.ema.europa.eu/docs/en_GB/document_library/Scientific_guideline/2009/10/WC500004529.pdf.
7. Forshaw, J., Pigeons and doves in Australia. 2015: CSIRO PUBLISHING.
8. Hendrix, C.M. and E. Robinson, *Diagnostic Parasitology for Veterinary Technicians-E-Book*. 2016: Elsevier Health Sciences.
9. Doneley, R.J., Bacterial and parasitic diseases of parrots. *Veterinary Clinics of North America: Exotic Animal Practice*, 2009. **12**(3): p. 417-432.
10. Powers, K., et al., World Association for the Advancement of Veterinary Parasitology (WAAVP) guidelines for evaluating the efficacy of anthelmintics in ruminants (bovine and ovine). *Veterinary parasitology*, 1982. **10**(4): p. 265-284.
11. Lucas, A., et al., Efficacy and safety of long-chain polyunsaturated fatty acid supplementation of infant-formula milk: a randomised trial. *The Lancet*, 1999. **354**(9194): p. 1948-1954.
12. Rabinowitch, V., The role of experience in the development and retention of seed preferences in zebra finches. *Behaviour*, 1969. **33**(3): p. 222-235.
13. Lin, E., Production and processing of small seeds for birds. 2005: Food and Agriculture Organization of the United Nations.
14. Ullrey, D.E., M.E. Allen, and D.J. Baer, Formulated diets versus seed mixtures for psittacines. *The Journal of nutrition*, 1991. **121**(11 Suppl): p. S193-S205.
15. Tollefson, C., Diets for birds other than poultry. Food habits of, and diets for, invertebrates and vertebrates-zoo diets, CRC Press, Cleveland, OH, 1978: p. 349-361.
16. Ward, K., Serum chlortetracycline concentrations in parrots fed medicated seed diets. *Australian veterinary journal*, 1997. **75**(8): p. 558-560.
17. Toft, C.A. and T.F. Wright, *Parrots of the wild: A natural history of the world's most captivating birds*. 2015: Univ of California Press.