

REFERENCES:

- CSIR. Wealth of India, publications and information directory. New Delhi, India: CSIR; 1998; 164.
- Portillo A, Vila R, Freixa B, Adzet T, Canigual S. Antifungal activity of Paraguayan plants used in traditional medicine. *J Ethnopharmacol* 2001;76: 93-98.
- Ameen, M. Epidemiology of superficial fungal infections. *Clinics in Dermatology*. 2010; 28:197-201
- O'Sullivan J, Mathison GE. The localization and secretion of a propeolytic enzyme complex by the dermatophytic fungus *Microsporum canis*. *J Gen Microbiol*. 1971;68:319-326.
- Takiuchi I, Higuchi D, Sei Y, Koga M. Isolation of an extracellular proteinase (keratinase) from *Microsporum canis*. *Sabouraudia*. 1982;20:281-288.
- Apodaca G, McKerrow JH. Purification and characterization of a 27,000-Mr extracellular proteinase from *Trichophyton rubrum*. *Infect Immun*. 1989;57:3072-3080.
- Mignon B, Swinnen M, Bouchara JP, Hofinger M, Nikkels A, Pierard G, Gerday C, Losson B. Purification and characterization of a 31.5 kDa keratinolytic subtilisin-like serine protease from *Microsporum canis* and evidence of its secretion in naturally infected cats. *Med Mycol*. 1998;36:395-404.
- Padhye AA, Weitzman I. The dermatophytes. In: Ajello L, Hay RJ, editors. *Microbiology and microbial infection*, Vol 4. New York: Topley and Wilson. 1999:215-293.
- Hamza, O.J., vandenBout-vandenBeukel, C.J., Matee, M.I., Moshi, M.J., Mikx, F.H., Selemani, H.O., Mbwambo, Z.H., VanderVen, A.J., Verweij, P.E. Antifungal activity of some Tanzanian plants used traditionally for the treatment of fungal infections. *J Ethnopharmacol* 2006;108:124-132.
- Liu, Q., Luyten, W., Pellens, K., Wang, Y., Wang, W., Thevissen, K., Liang, Q., Cammue, B.P., Schoofs, L., Luo, G., Antifungal activity in plants from Chinese traditional and folkmedicine *J Ethnopharmacol* 2012;143:772-778.
- Wang, S., Hu, Y., Tan, W., Wu, X., Chen, R., Cao, J., Chen, M., Wang, Y., Compatibility art of traditional Chinese medicine: from the perspective of herb pairs. *J Ethnopharmacol* 2012;143: 412-423.
- Brouta, F., Descamps, M., Monod, S., Vermout, B., Losson and B. Mignon, Secreted metalloprotease gene family of *Microsporum canis*. *Infect Immun*. 2012;70: 5676-5683.
- Monod, M., Capoccia, S., Le' chenne, B., Zaugg, C., Holdom, M. and Jousson, O. Secreted proteases from pathogenic fungi. *Int J Med Microbiol* 2002b;292:405-419.
- Asahi, M., Lindquist, R., Fukuyama, K., Apodaca, G., Epstein, W. L. and McKerrow, J. H. Purification and characterization of major extracellular proteinases from *Trichophyton rubrum*. *Biochem J* 1985;232:139-144
- Tsuboi, R., Ko, I. J., Takamori, K. and Ogawa, H. Isolation of a keratinolytic proteinase from *Trichophyton mentagrophytes* with enzymatic activity at acidic pH. *Infect Immun* 1989;57:3479-3483
- Brouta, F., Descamps, F., Fett, T., Losson, B., Gerday, C. and Mignon, B. Purification and characterization of a 43.5 kDa keratinolytic metalloprotease from *Microsporum canis*. *Med Mycol* 2001;39:269-275.
- Apodaca, G. and McKerrow, J. H. Purification and characterization of a 27,000-Mr extracellular proteinase from *Trichophyton rubrum*. *Infect Immun* 1989a;57:3072-3080.
- Apodaca, G. and McKerrow, J. H. Regulation of *Trichophyton rubrum* proteolytic activity. *Infect Immun* 1989b; 57:3081-3090.
- Grappel, S. F. and Blank, F. Role of keratinases in dermatophytosis. I. Immune responses of guinea pigs infected with *Trichophyton mentagrophytes* and guinea pigs immunized with keratinases. *Dermatologica* 1972;145:245-255.
- Collins, J. P., Grappel, S. F. and Blank, F. Role of keratinases in dermatophytosis. II. Fluorescent antibody studies with keratinase II of *Trichophyton mentagrophytes*. *Dermatologica* 1973;146:95-100.
- Lemsaddek, A., Chambel, L., and Tenreiro, R. Incidence of fungalsin and subtilisin virulence genes in dermatophytes. *Current research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology A. Mendez-Vilas(Ed)* 2010; 658-665.
- Kawo, A.H. and A.M. Kwa. Phytochemical screening and antibacterial activity of the aqueous extracts and fractions of ethanolic extracts of *Lawsonia inermis* leaf. *Int. Res. J. Microbiol*. 2011;2: 510-516.
- Oyedeggi, A.O., O. Ekundayo and W.A. Koenig. Essential oil composition of *Lawsonia inermis* L. leaves from Nigeria. *J Essential Oil Res*. 2005;17: 403-404.
- Lipinski CA, Lombardo F, Dominy BW, Feeney PJ. Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Adv Drug Deliv Rev*. March 2001;46 (13): 3-26.
- Lipinski CA. Lead and Drug like compounds: the rule of five revolution. *Drug Discov Today Technol*. December 2004;1 (4): 337-341
- Richardson J S. Anatomy and Taxonomy of Protein Structures. *Adv Protein Chem*. 1981;34: 167-339
- Ramachandran GN, Ramakrishnan C, Sasisekharan V. Stereochemistry of polypeptide chain configurations. *J Mol Biol*. 1963;7: 95-9.
- Dixon DM, McNeil MM, Cohen ML, Gellin BG, La Montagne JR. Fungal infections: a growing threat. *Public Health Rep* 1996;111(3): 226- 235.
- Wisplinghoff H, Bischoff T, Tallent SM, Seifert H, Wenzel RP, et al. Nosocomial bloodstream infections in US hospitals: analysis of 24,179 cases from a prospective nationwide surveillance study. *Clin Infect Dis* 2004;39(3): 309-317.
- Maschmeyer G, Haas A, Cornely OA. Invasive aspergillosis: epidemiology, diagnosis and management in immunocompromised patients. *Drugs* 2007;67(11): 1567-1601.
- Chakrabarti A, Chatterjee SS, Das A, Panda N, Shivaprakash MR. Invasive zygomycosis in India: experience in a tertiary care hospital. *Post grad Med J* 2009;85(1009): 573-581.
- Irobi ON, Darambolo SO. Antifungal activity of crude extracts of *Mitracarpus villosus* (Rubiaceae). *J Ethnopharmacol* 1993;40:137-140
- Vaijayingtimala J, Rajendra Prasad N, Pugalendi KV. Antifungal activity of oils. *Indian J Microbiol* 2001;41:325-328
- Dixon DM, Walsh TJ. 1996. Antifungal Agents. In: Baron S, ed. *Medical Microbiology*. Galveston: University of Texas Medical Branch Ch 16
- Trott O, Olson A J. AutoDock Vina: Improving the speed and accuracy of docking with a new scoring function, efficient optimization and multithreading. *J Comput Chem* 2010; 31: 455-461
- SwissADME: A free web tool to evaluate pharmacokinetics, druglikeness and medicinal chemistry friendliness of small molecules. *Sci Rep*. 2017; 7:42717
- iLOGP: A simple, robust, and efficient description of n-octanol/water partition coefficient for drug design using the GB/SA approach. *J Chem Inf Model*. 2014; 54(12):3284-3301
- Khan, Z.S. and S. Nasreen. Phytochemical analysis, antifungal activity and mode of action of methanol extracts from plants against pathogens. *J Agric Technol*. 2010;6: 793-805