

REFERENCES:

- 1- Agarwal A, Majzoub A, Esteves SC, *et al.* Infertility, recurrent pregnancy loss and sperm DNA fragmentation, have we found the missing link. *Avi Harlev.* 2016;5:935-1.
- 2- Cooper TG, Noonan E, von Eckardstein S, Auger J, BakerHWG, Behre HM, *et al.* World Health Organization reference values for human semen characteristics. *Hum Reprod.*2010;16:231–45.
- 3- Speroff L, Fritz MA. "Female infertility, Chapter 27", Clinical Gynecologic Endocrinology and Infertility, Eighth Edition Lippincott Williams & Wilkins, 2010, syf: 1157.
- 4- Sartorius, G. and Nieschlag, E. "Paternal age and reproduction." *Hum. Reprod. Update.* 2010; 16: 65-79.
- 5- De Krester D.M. Endocrinology of Male Infertility. *Brit Med Bullet.* 1979; 35: 187-192.
- 6- Amelar, RD. Infertility in man. F. A Davis Company, Philadelphia, U.S.A. 1966; Pp.30-53.
- 7- Jarow JP. Endocrine causes of male infertility. *Urol Clin North Am.* 2003; 30: 83-90.
- 8- Orentreich, N., J. L. Brind, R. L. Rizer, and J. H. Vogelman. Age changes and sex differences in serum dehydroepiandrosterone sulfate concentrations throughout adulthood. *J Clin Endocrinol Metab.*1984; 59:551–5.
- 9- F. Svec, J.R. Porter, The actions of exogenous dehydroepiandrosterone in experimental animals and humans, *Proc. Soc. Exp. Biol. Med.* 1998; 218 (3): 174–191.
- 10- Gray,*et al.* Testosterone, Sexual Function, and Cognition. *J Clin Endocrinol Metab.*2005; 90 (7):3838 –3846 .
- 11- Weinbauer GF, Nieschlag E. Gonadotropin control of testicular germ cell development. *Adv Exp Med Biol.*1995; 317:55-65.
- 12- Ali M. Al-Dosary, Ahmed M. Refaat, Saranya R. Babu, Abdul Rauf Choudhry. Y-STR Profiling of Semen Stain Evidences of Azoospermic Individuals. International Journal of Forensic Science & Pathology (IJFP),ISSN 2332-287X, *Int J Forensic Sci Pathol.*2015; 3(11):210-214.
- 13- A. Jungwirth, T. Diemer, G.R. Dohle, A. Giwercman, Z. Kopa, H. Tournaye, C. Krausz. Guidelines for the investigation and treatment of male infertility.*Eur Urol.* 2012; 61(1):159-63.
- 14- World Health Organization (WHO). Laboratory Manual for the Examination and Processing of Human Semen, 5th ed. Geneva:World Health Organization; 2010.
- 15- World Health Organization. WHO Laboratory Manual for the Examination of Human Semen and Sperm-cervical Mucus Interaction.4th edn. Cambridge: Cambridge University Press, 1999.
- 16- Statistical Analysis System, User's Guide. Statistical. SAS.Version 9.1th ed. SAS. Inst. Inc. Cary. N.C. USA. 2016.
- 17- Abdul Hussein Moyet Al-Faisal, Hormonal Disturbances among the Infertile Men in Baghdad-Iraq, *J. Med. Tech. Assoc.* Thailand, Vol. 38 No. 1, April 2010.
- 18- Blanchard TL, Varner DD, Bretzlaff KN, Elmore RG. The causes and pathologic changes of testicular degeneration in large animals: Identification and treatment. *Vet Med.* 1991; 86: 537-542.
- 19- Anderson RA, Wallace EM, Groome NP, Bellis AJ and Wu FCW .Physiological relationships between inhibin B, follicle stimulating hormone secretion and spermatogenesis in normal men and response to gonadotropin suppression by exogenous Testosterone.*Hum. Reprod.*, 1997; 12: 746-747.
- 20- De-Krester, DM. Endocrinology of Male Infertility. *Brit. Med. Bullet.* 1979, 35: 187-192.
- 21- Babu SR, Sadhnani MD, Swarna M, Padmavathi P, Reddy PP.Evaluation of FSH, LH, and Testosterone levels in different subgroups of infertile males. *Indian Journal of Clinical Biochemistry.* 2004; 19(1):45-49.
- 22- Subhan, F., Tahir, F., Alam, W., Sultan, S., Dil, A.S. and Shahab, M Seminal and hormonal profiles of fertile and subfertile Pakistani men - a study of infertility cases. *Pak. J.Med. Res.* 2000; 39(1): 42-45 .
- 23- Mann, T. and Lutwak-Mann, C. Male reproductive function and composition of semen: General considerations. *Springer Verlag, Berlin, Germany*, p.11 ;1981.
- 24- Yanam, O., Ozdiler, E., Seckiner, I. and Gogus, O. Significance of serum FSH levels and testicular morphology in infertile males. *Int. Urol. Nephrol.* 1999;31 (4): 519-523.
- 25- Turek, PJ, Kim M, Gilbaugh JH. and Lipsheetz LI. The clinical characteristics of 82 patients with Sertoli-cell only testis histology. *Fertil. Steril.* 1995; 64: 1197-1200.
- 26- Reyes-Fuentes A, Chavarria M. and Aguila G. Deconvolution analysis of bioassayable LH secretion and half life in man with idiopathic oligoasthenspermia. *Int. J. Androl.* 1997; 20: 188-125.
- 27- Weinbauer, GF and Nieschlag, E. Gonadotropin control of testicular germ cell development.1995, *Adv. Exp. Med. Biol.* 317, 55-65.
- 28- R. Dale McClure, MD, FRCS(C). 2 Endocrinology of Male Infertility, From: Contemporary Endocrinology: Office Andrology Edited by: P. E. Patton and D. E. Battaglia © Humana Press Inc., Totowa,
- 29- Charlton, M., Angulo, P., Chalasani, N., Merriman, R., Viker, K., Charatcharoenwithaya, P., Sanderson, S., Gawrieh, S., Krishnan and A., Lindor, K. Low circulating levels of dehydroepiandrosterone in histologically advanced nonalcoholic fatty liver disease. *Hepatology.* 2008; 47:484–492.
- 30- Smith SR, Thompson SG, Haines AP, Jeffcoate SL and Hendry WF. Plasma concentrations of pituitary and testicular hormones of fertile and infertile men. *Clin. Reprod. Fertil.* . 1985; 3(1): 37-48.
- 31- Nistal M, Jimenez F and Paniagua R .Sertoli-cell types in Sertoli cell only morphology and etiology .*Histopathology.* 1990; 16: 173-180.
- 32- Muhammad SH., Irshad A., Faheem T., and Gul M. .Simultaneous analysis of the three hormones involved in spermatogenesis and their interrelation ratios. *Pakist. J. of Pharm. Sci.*2008;21(4):344-349.
- 33- Samal S, Dhadwe K, Gupta U, *et al.* Epidemiological study of male infertility. *Indian Medical Gazette* 2012.
- 34- Matzkin, H., Homonnai, Z. T, Giliani, D. *et al.* Serum bioactive and immunoreactive folliclestimulating hormone in oligospermic and azoospermic men: application of a modified granulosa cell bioassay. *Fertil. Steril.*1990;53:709-714.
- 35- Sherwood, L. The Reproductive System: Male Reproductive Physiology. In. Human Physiology. Julet, M.; Rose,N.; and Arbogast,M.(eds.),5th Brooks/ Cole, Belmont.2004,Pp.:749-770
- 36- John D. Meecker, Linda Godfrey-Bailey, and Russ Hauser. Relationships Between Serum Hormone Levels and Semen Quality Among Men From an Infertility Clinic. *J Androl.* 2007;Vol. 28: No. 3, May/June.