













35. Holloway W.D., R. I. Greig. 1984. Water holding capacity of hemicelluloses from fruits, vegetables and wheat bran. *Journal of Food Science*. 49: 1632-1633.
36. Youssef M. K., M. Moshera. El-Manfaloty, H.M. Ali. 2013. Assessment of proximate chemical composition, nutritional status, fatty acid composition and phenolic compounds of carob (*Ceratonia siliqua* L.). *Food and Public Health*. 3(6): 304-308.
37. Gaisford S. E, S.E. Harding, J.R. Mitchell, T.D. Bradley. 1986. A comparison between the hot and cold water soluble fractions of two locust bean gum samples. *Carbohydrate Polymers*. 6 (6): 423-442.
38. Herken E., N. Aydin. 2015. Use of carob flour in the production of tarhana. *Polish Journal of Food Nutrition Science*. 65 (3): 167-174
39. Avallone R., M. Plessi, M. Barldi, A. Monzani. 1997. Determination of chemical composition of carob (*Ceratonia siliqua*): protein, fat, carbohydrates, and tannins. *Journal of Food Composition and Analysis*. 10:166-172.
40. Ayaz F. A., H. Torun, R. Glew, Z.D. Bak, L. T. Chuang, J. M. Presley, R. Andrews. 2009. Nutrient content of carob pod (*Ceratonia siliqua* L.) flour prepared commercially and domestically. *Plant Foods for Human Nutrition*. 64: 286-292.
41. M. Khlifa, A. Bahloul, S. Kitane. 2013. Determination of chemical composition of carob pod (*Ceratonia siliqua* L.) and its morphological study. *Journal of Materials and Environmental Science*. 4(3): 348-353
42. Haddarah A., A. Ismail, A. Bassal, T. Hamieh, I. Ioannou, M. Ghoul. 2013. Morphological and chemical variability of Lebanese carob varieties. *European Scientific Journal*. 9:18
43. Şahin H., A. Topuz, M. Pischetsrieder, F. Özdemir, 2009. Effect of roasting process on phenolic, antioxidant and browning properties of carob powder. *European Food Research Technology*. 230:155-161.
44. Jambi H. A., 2015. Effect of roasting at 180°C for 30 minutes on the sugars content of carob powder. *Life Science Journal*. 12(11): 21-24.
45. Kahkah El. R., R. Zouhair, M. Diouri, M. Ait Chitt, R. Errakhi. 2015. Morphological and biochemical characterization of Morocco carob tree (*Ceratonia siliqua* L.). *International Journal of Biological and Medical Research*. 6(2):4946-4952.
46. Gubbuk H., E. Kafkas, D. Guven, E. Gunes. 2010. Physical and phytochemical profile of wild and domesticated carob (*Ceratonia siliqua* L.) genotypes. *Spanish Journal of Agricultural Research*. 8(4): 1129-1136.
47. Owen R.W., R. Haubner, W.E. Hull, G. Erben, B. Spiegelhalter, H. Bartsch, B. Haber. 2003. Isolation and structure elucidation of the major individual polyphenols in carob fibre. *Food and Chemical Toxicology*. 41: 1727-1738.
48. Kumazawa S, M. Taniguchi, Y. Suzuki, M. Shimura, M-S. Kwon, T. Nakayama. T 2002. Antioxidant activity of polyphenols in carob pods. *Journal of Agricultural and Food Chemistry*. 50:373-377
49. Benković M., A. Belščak-Cvitanović, I. Bauman, Dr. Komes, S. Srečec. 2017. Flow properties and chemical composition of carob (*Ceratonia siliqua* L.) flours as related to particle size and seed presence. *Food Research International*. doi: 10.1016/j.foodres.2017.08.048
50. Lopes da Silva, J. A., M. P. Goncalves. 1990. Studies on a purification method for locust bean gum by precipitation with isopropanol. *Food Hydrocolloids*. 4: 277-287.
51. Dakia, P. A., C. Blecker, C. Roberta, B. Watheleta, M. Paquota, 2008. Composition and physicochemical properties of locust bean gum extracted from whole seeds by acid or water dehulling pre-treatment. *Food Hydrocolloids*, 22:807-818.
52. Cunha P. L.R., I. G.P. Vieira, A. M.C. Arriaga, R.C.M. de Paula, J. P.A. Feitosa, 2009. Isolation and characterization of galactomannan from *Dimorphandra gardneriana* Tul. seeds as a potential guar gum substitute. *Food Hydrocolloids*. 23: 880-885.
53. Cunha, P. L. R., R. R.Castro, F. A. C.Rocha, R. C. M de Paula, J. P. A. Feitosa. 2005. Low viscosity hydrogel of guar gum: preparation and physicochemical characterization. *International Journal of Biological Macromolecules*. 37: 99-104.
54. Debon S. J. J., R. F. Tester. 2001. *In vitro* binding of calcium, iron and zinc by nonstarch polysaccharides. *Food Chemistry*, 73: 401-410.
55. Pollard M. A., R. Kelly, C. Wahl, P. Fischer, E. Windhab, B. Eder, R. Amadó, 2007. Investigation of equilibrium solubility of a carob galactomannan. *Food Hydrocolloids*. 21: 683-692.
56. Farahnaky A., N. Darabzadeh, M. Majzoob, Gh. Mesbahi. 2014. Physicochemical properties of crude and purified locustbean gums extracted from Iranian carob seeds. *Journal of Agricultural Science and Technology*. 16: 125-136.
57. Wielinga, W. C. and Maehall, A. G. 2000. Galactomannans. In: "Handbook of Hydrocolloids", (Eds.): Phillips, G. O. And Williams, P. A.. Woodhead Publishing Limited, North and South American, PP.472
58. Boulos N. N., H. Greenfield, R. B. H. Wills. 2000. Water holding capacity of selected soluble and insoluble dietary fibre. *International Journal of Food Properties*. 3(2): 217-231.
59. Petravić-Tominac V., V. Zechner-Krpan, K. Berković, P. Galović, Z. Herceg, S. Srečec, Ig.Špoljarić. 2011. Rheological Properties, Water-Holding and Oil-Binding Capacities of Particulate β-Glucans Isolated from Spent Brewer's Yeast by Three Different Procedures. *Food Technology and Biotechnology*. 49 (1): 56-64.