

Youn Ys , reported comparable results in 40 patients, 20 patients with transportal approach and 20 patients with modified transtibial approach on short term follow up [18].

So our results, nearly comparable or some time even better than the results of other studies, this give us a positive feedback as a beginner in this field to improve our learning curve.

CONCLUSION

Arthroscopic modified transtibial ACL, reconstruction, gives good results, better than traditional transtibial one and approaching the result of transportal approach. So in spite its draw back on the length of tibial tunnel (its make tibial tunnel short 3-4 cm), its reliable method specially in at the beginning, because it's easier than transportal tunnel placement.

REFERENCES

- 1- John M. Flynn. Orthopedic knowledge update, 10 editions, AAOS. 2011; p 453-461.
- 2- Marker D Miller, Stephen R Thompson, Jennifer A Hart. Review of orthopedics, six editions; (2012):298-231.
- 3- Spicer DDM, Blagg SE, Unwin AJ, Alum RE. Anterior knee symptoms after four strand hamstring tendon anterior cruciate ligament reconstruction. *Knee Surge. Sport Traumatol Authors.* (2008);286-289.
- 4- Pinczewski LA, Salmon IJ, Jackson WF, et al. Toshiro S. Radiological landmarks for placement of tunnels in single bundle reconstruction of ACL. *Journal Bone Joint Surge Br* (2008);90-B:172-179.
- 5- Koutras, Giorgio, Papadopoulos, et Al. *Journal of Knee surgery, Sport traumatology, Arthroscopy;* (2013), 21(8):1904.
- 6- Department of orthopedic surgery, Urmia university of medical sciences, Urmia, Iran. Comparison of short term clinical outcomes between transgibial and trans-portal ACL reconstruction. *Act Ortho Traumatol Turc.* (2012);46(5):361-6.
- 7- Groin F, Buzz R, Ag, et al. Femoral tunnel position in anterior cruciate reconstruction using three techniques: acadaver study. *Arthroscopy* (1999);15(7):750-756.
- 8- Houser C, Tecklenburg K, Kuenzel KH, et al. Postoperative evaluation of femoral tunnel position in ACL reconstruction: plain radiography versus computed tomography. *Knee Surge sport Traumatol Arthrosc.* (2005);13(4):256-262.
- 9- Johnson H, Elmqvist LG, Karrholm J, et al. Over the top or tunnel reconstruction of anterior cruciate ligament, A prospective randomized study of 54 patients. *J Bone Joint Surge Br.*1994;76(1):82-87.
- 10- Khalfayan ED, Sharkey PC, Alexander AH, et al. The relationship between tunnel placement and clinical results after ACL reconstruction. *Am J Sports Med.*4996;24(3):335-341.
- 11- Dakhil, A.S. Association of Serum Concentrations of Proinflammatory Cytokines and Hematological Parameters in Rheumatoid Arthritis Patients. *J Phram Sci Res.* 2017; 9, 1966-1974.
- 12- Klos TV, Harman MK, Habets RJ, Banks Allocating femoral graft placement from lateral radiographs in ACL reconstruction: A comparison of 3 methods of measuring radiographic images. *Arthroscopy.* (2000); 16(5):499-504.
- 13- Nebelung W, Becker R, Merkel M, et al. Bone tunnel enlargement after anterior cruciate ligament reconstruction with semitendinosus tendon using endobutton fixation on femoral side. *Arthroscopy* (1998); 14:810-5.
- 14- Qiang, Z., Shu, Z. Comparison of two methods of femoral tunnel preparation in single bundle anterior cruciate ligament reconstruction. *Acta Cir. Bras.* (2012) 27, 8.AUG.
- 15- Mirzatolooei F. Comparison of short term clinical outcomes between transtibial and transportal femoral fixation in hamstring ACL reconstruction. *Acta Orthop Traumatol Turc.* (2012).
- 16- Paweski S, Rossi J, Meeloz P ACL reconstruction Assessment of hamstring autocracy femoral fixation using the Endobutton. *CL. Orthopedics and Traumatology Surgery and Research* (2009).95:606-613
- 17- Ejerhed Lars, Karts Jeri, Sternberg N, et al. Patellar tendon or semitendinosus tendon auto grafts for anterior cruciate ligament reconstruction. *Am Sport Med* (2003); 31:19-25.
- 18- Eriksson K, Anderberg P, Hamburg P, et al. A comparison of quadruple semitendinosus and patellar tendon graft in reconstruction of anterior cruciate ligament. *J Bone Joint Surge. Br* (2001)83(3):348-354.
- 19- Moh d Shaft Baht. Moh d Yaseen Rather. Short term results of anterior cruciate ligament reconstruction using fur strand hamstring autograft with endobutton fixation. *Journal of Dental and Medical sciences.* (2013) 11:67-72.
- 20- Youn Ys, Cho SD, Lee SH. Modified transtibial versus anteromedial technique in anatomical single bundle ACL reconstruction, comparison of femoral tunnel and clinical results. *American Journal of sports medicine.* (2014);42(12):29941-7.