

REFERENCES

- [1] Suresh, S.S., Chokshi, K., Desai, S., Medical Management of Oral Lichen Planus: A Systematic Review. *J. Clin. Diagn. Res.*, 2016; 10(2): ZE10-5.
- [2] Di Stasio, D., Guida, A., Salerno, C., Oral lichen planus: a narrative review. *Front. Biosci. (Elite Ed)*, 2014; 6: 370-376.
- [3] Srinivas, K., Aravinda, K. and Ratnakar, P., Oral lichen planus - Review on etiopathogenesis. *Natl. J. Maxillofac. Surg.*, 2011; 2(1): 15-16.
- [4] Lavanya, N., Jayanthi, P., Rao, U.K. and Ranganathan, K., Oral lichen planus: An update on pathogenesis and treatment. *J. Oral Maxillofac. Pathol.*, 2011; 15(2): 127-132.
- [5] Akmalova, G. M., K voprosu ob atipichnoi forme krasnogo ploskogo lishaya na slizistoi obolochke rta [To the issue of the atypical form of lichen planus in oral mucosa]. *The Urals medical magazine*, 2013; 5 (110): 30-31
- [6] Thongprasom, K., Novel therapies for oral lichen planus. *J. Oral Pathol. Med.*, 2013; 42(10): 721-727.
- [7] Romero, W., Giesen, L., Navajas-Galimany, L. and Gonzalez, S., Erosive lichen planus: a therapeutic challenge. *An. Bras. Dermatol.*, 2016; 91(1): 84-6.
- [8] Ribero, S., Stieger, M. and Quaglino, P., Efficacy of topical tacrolimus for oral lichen planus: real-life experience in a retrospective cohort of patients with a review of the literature. *J. Eur. Acad. Dermatol. Venereol.*, 2015; 29(6): 1107-1113.
- [9] Chuiкин S. V., Akmalova G. M. and Slyshkina, T. V., Otsenka selektivnoi pronitsaemosti gematosalivarnogo baryera pri krasnom ploskom lishae slizistoi obolochki rta [Assessing selective permeability of the hematosalivary barrier in case of lichen planus of oral mucosa]. *The Urals medical magazine*, 2015; 6 (129): 104-107
- [10] Chuiкин S. V., Akmalova G. M., Gilmanov A. Z. and Gareev E. M., Sostoyaniye pronitsaemosti gematosalivarnogo bar'era pri krasnom ploskom lishae slizistoi obolochki rta [The state of the permeability barrier of the hematosalivary barrier in case of lichen planus of oral mucosa]. *Issues of dentistry*, 2016; 12(1): 11-18.
- [11] Gholizadeh, N., Mehdipour, M. and Najafi, Sh., Evaluation of the Serum Zinc Level in Erosive and Non-Erosive Oral Lichen Planus. *J. Dent. (Shiraz)*, 2014; 15(2): 52-56.
- [12] Sun, A., Lin, H.P., Wang, Y.P. and Chiang, C.P., Significant association of deficiency of hemoglobin, iron and vitamin B12, high homocysteine level, and gastric parietal cell antibody positivity with atrophic glossitis. *J. Oral Pathol. Med.*, 2012; 41(6): 500-4.
- [13] Chen, H.M., Significant association of deficiencies of hemoglobin, iron, folic acid, and vitamin B 12 and high homocysteine level with oral lichen planus. *J. Form. Med. Assoc.*, 2015; 114(2): 124-129.
- [14] Chin-Thin, W., Wei-Tun, C., Tzu-Ming, P. and Ren-Tse W., Blood concentrations of selenium, zinc, iron, copper and calcium in patients with hepatocellular carcinoma. *Clin. Chem. Lab. Med.*, 2002; 40: 1118-22.
- [15] Shetty, R., Babu, S. and Kumari, S., Role of serum trace elements in oral precancer and oral cancer – A biochemical study. *J. Cancer Res. Treat.*, 2013; 1: 1-3.
- [16] Hofman, L.F., Human Saliva as a diagnostic specimen. *J. Nutr.*, 2001; 131: 1621-5.
- [17] Ray, J.G., Ghosh, R. and Mallick, D., Correlation of trace elemental profiles in blood samples of Indian patients with leukoplakia and oral submucous fibrosis. *Biol. Trace Elem. Res.*, 2011; 144: 295-305.
- [18] Skalny A.V., Bioelementi v meditsine [Bioelements in medicine]. Moscow: Publishing House "Onyx 21 Century" – Mir, 2004.
- [19] Zhang, Y., Lin, M. and Zhang, S., NF-kappaB-dependent cytokines in saliva and serum from patients with oral lichen planus: a study in an ethnic Chinese population. *Cytokine*, 2008; 41: 144-9.